| T-+-1 00 | 04 - Daniel I art | | 00 500 | 0 | | W- days | - | | | Per |
|---|-------------------|-------------------------|------------|--|-------------|-------------|-------|--|---------------|-----------|
| TOTAL 20 | о4 Роритат | ion | 68,500 | Community Opt | ions and MA | waiver | | Staffing - FTE | | 10,000 |
| | | | | as HSRS repor | | | | Staffing - FIE | Number | Populatio |
| Populat | ion per sq | uare mile | 85 | | | _ | . | lotal staff | 21.3 | 3.1 |
| County | ranking i | n state (| 1-72) 23 | COP MA Waiver * | Clients | Cos | its | Total staff Administrative Public health no Other prof. sta Technical/Parapo | 3.0 | 0.4 |
| | | | | COP | 12 | \$109, | 708 | Public health n | urses 9.5 | 1.4 |
| Age | Female | Male | Total | MA Waiver * | | | | Other prof. sta | ff 5.4 | 0.8 |
| 0-14 | 5,950 | 6,300 | 12,230 | CIP1A | 2 | \$74, | 729 | Technical/Parap | rof. 3.4 | 0.5 |
| 15-19 | 3,200 | 3.180 | 6,380 | CIP1B | 33 | \$294. | 669 | Support staff | | |
| 20-24 | 4,090 | 6,300 3,180 4,290 | 8,390 | MA Waiver * CIP1A CIP1B CIP2 COP-W CLTS Brain Injury Total COP/Wvr | 0 | . , | \$0 l | | | |
| 25 - 29 | 1,930 | 2,240 | 4,170 | COP-W | Ö | | \$0 | Funding Total Local Taxes | | Per capit |
| 30-34 | 1,740 | 1,920 | 3,660 | CLTS | 10 | \$245 | 257 | Total | \$1 845 953 | \$26 78 |
| 35-39 | 2,160 | 2,240 | 4,400 | Brain Injury | .0 | Ψ2-10; | \$0 | Local Tayes | \$030,067 | \$13.70 |
| 40-44 | 2,620 | 2,660 | 5,280 | Total COD/Wyn | c 57 | \$704 | 363 | LUCAL TAXES | φ950,007 | φ10.49 |
| 45-54 | 4,020 | 4,000 | 0,200 | TOTAL COP/WVI | 5 31 | \$724, | 302 | LICENSE | TOTADI TOUME | NTC |
| 45-54 | 4,960 | 4,980 | 3,300 | | | | | LICENSEI |) ESTABLISHME | N15 |
| 55-64 | 3,160 | 3,230 | 6,390 | \$83,782 0 | | | OSTS | _ | | |
| 65-74 | 2,020 | 1,830 | 3,850 | were paid as | | | cn | Type | Capacity | Facilitie |
| 75-84 | 1,550 | 1,100 | 2,640 | using COP fu | nds. This | amount is | ; | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools | 25 | 7 |
| 85+ | 820 | 360 | 1,180 | not included | in above C | OP costs. | | Camps | 686 | 10 |
| Total | 34,190 | 34,310 | 68,500 | | | | | Hotels, Motels | 1,315 | 20 |
| | | | | * Waiver cos | | | ĺ | Tourist Rooming | 8 | 2 |
| Age | Female | Male | Total | include fed | eral fundin | a. | į | Pools | | 44 |
| 0-17 | 7,770 | 8,210 | 15,960 | | , | • | i | Restaurants | | 328 |
| 18-44 | 13.920 | 14,620 | 28,550 | | Clients | Cos | ts l | Vending | | 2 |
| 45-64 | 8,120 | 8,210 | 16,320 | Eligible and Waiting | | | | :g | | _ |
| 65+ | 4,390 | 3,290 | 7,670 | Waiting | 0 | n/ | a | | | |
| Total | 34,190 | 34,310 | 68,500 | Watting | · · | 117 | ۱ ۳ | | | |
| IOCAL | 04,190 | 04,010 | 00,500 | Family Care | Ω7/ | \$21 005 | 524 | WIC I | OVDTICIDVNIT6 | |
| Dovontv | Estimates | for 2000 | | 1 | | | 1 | WIC I | ANTIGITANTS | |
| roverty | ESTIMATES | imata | (C T /) | Notes In 2004 | thic count | | الم | | | Numbe |
| A 7 7 | ESI | Tillare | (0.1.+/-) | Note: In 2004 | this count | y operate | iu | December / December | - 4 | Nullibe |
| AII ag | es | 6,399 | 512 | under the F | amily care | waiver. | | Pregnant/Postpai | ' Lulli | 54 |
| | | 9.5% | (5%) | Findiple au | d_waiting c | llents ar | ,e | Intants | _ | 57 |
| Ages 0 | -17 | 1,394 | 119 | phased into | Family Car | e. Hence, | . | Children, age 1 | - 4 | 76 |
| | | 8.6% | (9%) | Note: In 2004 under the Fa Eligible and phased into clients can COP/waivers | incur cost | s for bot | :h | Pregnant/Postpar Infants Children, age 1 Total | | 1,88 |
| | | | | COP/waivers | and Family | Care. | | | | |
| | EMPL | OYMENT | | | | | | CANCER | INCIDENCE (20 | 03) |
| verage w | age for jo | bs covere | d | Home Health A | gencies | | . | Primary Site | ` | • |
| v unĕmpl | ovment com | pensation | \$30,877 | Patients | - | 4 | 48 | Breasť | | 47 |
| | work) | | . , | Patients per | 10,000 non | | 65 | Cervical | | _ |
| • | • | | Annual | | | | | | | 22 |
| ahor For | ce Estimat | e s | Average | Nursing Homes | | | 2 | Lung and Bronch | IS | 31 |
| ubbi 101 | oc Latillat | CO | Average | Licensed had | c | 2 | 16 | Prostate | 40 | 37 |
| Civilian | Lobon For | | 41 001 | Trocused bed | 5 + 0 | 77 | 7 20. | Othon cites | | |
| Annual Average Civilian Labor Force 41,281 Number employed 39,290 Number unemployed 1,991 Unemployment rate 4.8% | | Decidents as | LE 01 | // | .3% | Other sites | | 111 | | |
| Number | ешьтохеа | | 39,290 | Residents on | Dec.31 | 1. | 92 | Total | | 248 |
| Number | _unemp⊥oye | a | 1,991 | Residents ag | e 65 or old | er | | | _ | |
| Unemp | ⊥oyment ra | te | 4.8% | per 1,000 p | opulation | | 63 | Note: Totals show | | |
| | | | | I | | | | invaciva o | ancers only. | |

| GE 2 | | | 2004 PROFILE FOR PO | Second of | four pag | | | |
|---------------------------|----------|---------|---------------------|---------------------------------|----------------------|----------------------|---------------|---------|
| | | | NATA | LITY | | | | |
| TOTAL LIVE BIRTHS | | 710 | Birth Order | Births | Percent | Marital Status | | |
| | | | First | 286 | 40 | of Mother | Births | Percent |
| Crude Live Birth Rate | | 10.4 | Second | 231 | 33 | Married | 535 | 75 |
| General Fertility Rat | :e | 45.1 | Third | 124 | 17 | Not married | 175 | 25 |
| _ | | | Fourth or higher | 69 | 10 | Unknown | 0 | 0 |
| Live births with reported | | | Unknown | 0 | 0 | | | |
| congenital anomalies | | 7 1.0% | | | | Education | | |
| | | | | | | of Mother | Births | Percent |
| Delivery Type | Births | Percent | 1st Prenatal Visit | Births | Percent | Elementary or les | | 1 |
| Vaginal after | | | 1st trimester | 599 | 84 | Some high school | 44 | 6 |
| previous cesarean | 11 | 2 | 2nd trimester | 94 | 13 | High school | 218 | 31 |
| Forceps | 1 | <.5 | 3rd trimester | 13 | 2 | Some college | | 27 |
| Other vaginal | 516 | 73 | No visits | 2 | <.5 | College graduate | | 35 |
| Primary cesarean | 99 | 14 | Unknown | 2 | <.5 | Unknown | 5 | 1 |
| Repeat cesarean | 83 | 12 | | | | | | |
| | | | Prenatal Visits | Births | Percent | Smoking Status | | |
| Birthweight | | Percent | No visits | 2 | <.5 | of Mother | Births | Percent |
| <1,500 gm | 5 | 0.7 | 1-4 | 15 | 2 | Smoker | 87 | 12 |
| 1,500-2,499 gm | 28 | 3.9 | 5-9 | 101 | 14 | Nonsmoker | 622 | 88 |
| 2,500+ gm | 677 | | 10-12 | 300 | 42 | Unknown | 1 | <.5 |
| Unknown | 0 | 0 | 13+ | 286 | 40 | | | |
| | | | Unknown | 6 | 1 | | | |
| | | | Low Birthweight | | First Prenatal Visit | | | |
| | | | (under 2,500 gm) | 1st Trimester Births Percent | | 2nd Trimester | Other/Unknown | |
| Race/Ethnicity | Births P | | `Births Þercent´ | Births | Percent | Births Percent | Births | Percent |
| White | 629 | 89 | 27 4.3 | 545 | 87 | 73 12 | 11 | 2 |
| Black/Afr.American | 5 | 1 | | 4 | 80 | | 1 | 20 |
| American Indian | 6 | 1 | | 6 | 100 | | • | |
| Hispanic/Latino | 28 | 4 | 3 10.7 | 23 | 82 | 4 14 | 1 | 4 |
| Laotian/Hmong | 25 | 4 | | 10 | 40 | 13 52 | 2 | 8 12 |
| Other/Unknown | 17 | 2 | 3 17.6 | 11 | 65 | 4 24 | 2 | 12 |
| | | | Low Birthweight | | Trimest | er of First Prenatal | L Visit | |
| | Fe | rtility | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | | Unknown |
| Age of Mother | Births | Rate | `Births Percent´ | | Percent | Births Percent | | Percent |

| | | | Low Birt | hweight | | Trimes | ter of Fir | st Prenata | l Visit | |
|----------------|--------|----------|----------|-----------|-------------|-----------|------------|------------|------------|---------|
| | Fe | ertility | (under 2 | ,500 gm) | 1st Tr | imester | 2nd Tr | imester | Other/ | Unknown |
| Age of Mother | Births | Rate | `Births | | Births | Percent | Births | Percent | Births | Percent |
| <15 | 0 | | | | | | | | | |
| 15-17 | 12 | 7 | | | 6 | 50 | 3 | 25 | 3 | 25 |
| 18-19 | 40 | 29 | 3 | 7.5 | 32 | 80 | 7 | 18 | 1 | 3 |
| 20-24 | 166 | 41 | 9 | 5.4 | 126 | 76 | 32 | 19 | 8 | 5 |
| 25-29 | 245 | 127 | 11 | 4.5 | 223 | 91 | 20 | 8 | 2 | 1 |
| 30-34 | 158 | 91 | 4 | 2.5 | 134 | 85 | 22 | 14 | 2 | 1 |
| 35-39 | 77 | 36 | 4 | 5.2 | 69 | 90 | 7 | 9 | 1 | 1 |
| 40+ | 12 | 5 | 2 | 16.7 | 9 | 75 | 3 | 25 | | |
| Unknown | 0 | | | | • | | | | | |
| Teenage Births | 52 | 16 | | * Data no | ot reported | if age or | race cate | gory has 1 | ess than 5 | hirths. |

| REPORTED CASES OF SELECTED DISEASES | Note: Death rates neonatal, and * Perinatal and | (except i d postneo d fetal d | nfant) are natal death eath rates | RTALITY | Infant, ve births. ns plus | |
|--|---|-------------------------------------|---|--|----------------------------------|------------------|
| Giardiasis 3 | B Crude Death R | ate | 454 663 | Selected Underlying Cause Heart Disease (total) | 133 | Rate 194 |
| Hepatitis NÁNB/C 3 | 7 Age 3 1-4 | Deaths 1 | Rate • | Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung | 108 | 118 158 31 |
| Lyme 5 | 5-14 2 15-19 0 20-34 | 3 8 | • | Colorectal Female Breast Cerebrovascular Diseas | 5 11 se 35 | .* 51 |
| Meningitis, Aseptic < Meningitis, Bacterial | | 30 36 73 | 153 564 1,897 | Lower Resp. Disease Pneumonia & Influenza Accidents | 18 | 31 |
| Pertussis 74 Salmonellosis 1 | 4 75-84 7 85+ | 136 165 | 1,897 5,148 14,043 | Motor vehicle Diabetes | 9 | |
| Shigellosis < Tuberculosis < | 5 Infant | | | Infect./Parasitic Dis Suicide | 6 | : |
| * 2004 provisional data. ** Includes all positive HBsAg test results. | Mortality Total Infant Neonatal | Deaths 2 | Rate • | * Based on female popul | | LVING |
| | Postneonatal Unknown | 2 | : | OR CONTRIBUTING CAU | JSE OF DEA | |
| Sexually Transmitted Disease Chlamydia Trachomatis 12 Genital Herpes 4 | I | 2 | | Alcohol Tobacco Use Other Drugs | 8 68 1 | 99 • |
| Gonorrhea 1- Syphilis < | Black Hispanic | · . | : | | · | |
| | Laotian/Hmong Other/Unknown | | | MOTOR VEHICL Note: These data are L | | |
| IMMUNIZATIONS Children in Grades K-12 by | Birthweight <1,500 gm 1,500-2,499 gm | | | of crash, not o | on residen | ce. |
| Compliance Level | 2,500+ gm Unknown | 2 | | Type of Motor Vehicle Crash Total Crashes | Injured 585 | Killed 11 |
| Compliant 10,632 Non-compliant 74 Percent Compliant 99.3 | Perinatal Mortality | Deaths | Rate | Total Crashes Alcohol-Related With Citation: For OWI | 76 64 | 4 2 |
| | Total Perinatal Neonatal Fetal | 2 | • | For Speeding Motorcyclist | 41 26 | 0 0 |
| | Fetal | 2 | • | Bicyclist Pedestrian | 18 13 | 0 2 |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita |
|------------------------|------------|---------------------|---------------------------|----------------------|-------------------------|------------------------|------------|---------------------|---------------------------|----------------|-------------------------|
| Injury-Related | : All | | | | | Alcohol-Related | d | | | | |
| Ťotál | 485 | 7.1 | 5.0 | \$19,091 | \$135 | Total | 158 | 2.3 | 4.8 | \$8,773 | \$20 |
| <18 | 47 | 2.9 | 4.3 | \$20.655 | \$61 | 18-44 | 90 | 3.2 | 3.7 | \$5,882 | \$19 |
| <18 18-44 45-64 | 121 | 4.2 | 5.0 | \$22,789 | \$97 | 45-64 | 65 | 4.0 | 6.1 | \$12,765 | \$51 |
| 45-64 | 129 | 7.9 | 5.2 | \$20,017 | \$158 | Pneumonia and | Influenza | | | | |
| 65+ | 188 | 24.5 | | \$15,685 | \$385 | Total | 167 | 2.4 | 4.3 | \$10,231 | \$25 |
| Injury: Hip | | | | . , | · | <18 | 32 | 2.0 | 2.8 | \$5,906 | \$12 |
| Ťotál ' | 58 | 0.8 | 4.6 | \$16,237 | \$14 | 45-64 | 18 | | | • , | |
| 65+ | 53 | 6.9 | 4.7 | | \$111 | 65+ | 103 | 13.4 | 4.2 | \$9,153 | \$123 |
| Injury: Pois | | | | + , | * · · · | Cerebrovascular | | | | 40, .00 | Ţ. <u>_</u> _ |
| Total | 39 | 0.6 | 2.3 | \$6,532 | \$4 | Total | 104 | 1.5 | 4.3 | \$16,438 | \$25 |
| 18-44 | 18 | | | • | • | 45-64 | 24 | 1.5 | | \$22,674 | \$33 |
| 10 11 | | • | - | - | • | 65+ | 75 | 9.8 | 3.7 | | \$127 |
| Psychiatric | | | | | | Chronic Obstruc | | | | Ψ10,001 | Ψ127 |
| Total | 413 | 6.0 | 6.6 | \$7,288 | \$44 | Total | 92 | 1.3 | 3.2 | \$7,459 | \$10 |
| <18 | 64 | 4.0 | 9.6 | \$8,040 | \$32 | <18 | 18 | | | | • |
| 18-44 | 219 | 7.7 | 5.7 | \$6,277 | \$48 | 18-44 | 3 | • | | • | • |
| 45-64 | 96 | 5.9 | 6.3 | \$8,229 | \$48 | 45-64 | 23 | 1.4 | 3.1 | \$7,129 | \$10 |
| 65+ | 34 | 4.4 | 7.3 | \$9,729 | \$43 | 65+ | 48 | 6.3 | 3.6 | \$8,505 | \$53 |
| 051 | 34 | 4.4 | 7.5 | ψ9,129 | Ψ40 | Drug-Related | | 0.5 | 3.0 | φο, 303 | φυσ |
| Coronary Heart | Dicasco | | | | | Total | 36 | 0.5 | 8.5 | \$8,205 | \$4 |
| Total | 386 | 5.6 | 2 1 | \$25,261 | \$142 | 18-44 | 12 | | | | Φ4 |
| 45-64 | 117 | 7.2 | 0.4 | \$23,201 | \$167 | 10-44 | 12 | • | • | • | • |
| 45-04 65+ | 252 | 32.9 | | \$25,519 \$25,556 | \$107 \$840 | Total Hospital: | izotiono | | | | |
| 05+ | 232 | 32.9 | 3.9 | Φ20,000 | Φ040 | Total | | 91.6 | 4.0 | \$12,028 | ¢1 101 |
| lalianent Neen | 100mo (Co | naana\. | A 7 7 | | | 10tar <18 | | | 4.0 | \$12,028 | Φ1,101 |
| Malignant Neop | | | ATT | Φ04 055 | ΦCO. | | 1,098 | 68.8 | 3.2 | \$5,737 | \$395 |
| Total | 222 | 3.2 | | \$21,355 | \$69 | 18-44 | 1,774 | 62.1 | 3.5 | \$9,258 | \$575 |
| 18-44 45-64 | 19 | ٠., | | Φ00 004 | | 45-64 | 1,266 | 77.6 | 4.0 | \$16,133 | \$1,252 |
| 45-64 | 88 | 5.4 | 6.0 | \$20,864 | \$113 | 65+ | 2,134 | 278.4 | 4.5 | \$15,133 | \$4,213 |
| 65+ | | 14.7 | 6.0 | \$19,359 | \$285 | | DEVENTABLE | HOODET | | ONO+ | |
| Neoplasms: F | | | | | | PF | | | | | |
| Total | 16 | | • | | • | Total | 653 | 9.5 | 3.6 | \$8,568 | \$82 |
| Neoplasms: C | olo-recta. | 1 | | | | <18 | 80 | 5.0 | 2.5 | \$4,449 | \$22 |
| Total | 26 | 0.4 | 9.7 | \$25,470 | \$10 | 18-44 | 89 | 3.1 | | \$8,154 | \$25 |
| 65+ | 13 | | • | | | 45-64 | 114 | 7.0 | | \$10,065 | \$70 |
| Neoplasms: L | ung | | | | | 65+ | 370 | 48.3 | 3.9 | \$9,096 | \$439 |
| Total | 24 | 0.4 | 5.5 | \$18,411 | \$6 | | | | | | |
| Diabetes | | | | | | * Hospitalizations | s for cond | itions | where t | imely and | effectiv |
| Total | 56 | 0.8 | 4.2 | \$10,862 | \$9 | ambulatory care ca | an reduce | the lik | celihood | of hospi | talizatio |
| 65+ | 18 | | | • | · . | 1 | | | | ' | |